UNITED STATES DEPARTMENT OF COMMERCE United. States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/835,458	04/16/2001	Majid Anwar	PGLD-P01-003	7727
28120 FISH & NFAV	7590 05/01/2007 & NEAVE IP GROUP		EXAMINER	
ROPES & GRA	AY LLP		LESPERANCE, JEAN E	
ONE INTERNATIONAL PLACE BOSTON, MA 02110-2624			ART UNIT	PAPER NUMBER
			2629	
			MAIL DATE	DELIVERY MODE
			05/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	09/835,458	ANWAR, MAJID				
Office Action Summary	Examiner	Art Unit				
<u> </u>	Jean E Lesperance	2629				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 31 Ja	nuary 2007.					
<u> </u>	action is non-final.					
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>5-7,12,13,17,18,22,23 and 33-53</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)⊠ Claim(s) <u>50-53</u> is/are allowed.						
6) Claim(s) 5-7, 12-13, 17,18, 22-23, 33-34, and 3	6)⊠ Claim(s) <u>5-7, 12-13, 17,18, 22-23, 33-34, and 36-49</u> is/are rejected.					
7)⊠ Claim(s) <u>35</u> is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) ☐ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>16 April 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a)⊠ All b)□ Some * c)□ None of:						
1 🛛 Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary ( Paper No(s)/Mail Dat					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		tent Application (PTO-152)				
Paper No(s)/Mail Date 6) Other:						

Art Unit: 2629

#### **DETAILED ACTION**

1. The amendment filed January 31, 2007 is entered and claims 5-7, 12-13, 17-18, 22-23, 33-53 are pending.

# Response to Arguments

2. Applicant's arguments with respect to claims 5-7, 12-13, 17-18, 22-23, 33-53 have been considered but are moot in view of the new ground(s) of rejection.

### Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 5-7, 12-13, 17, 22-23, 33-34, and 36 are rejected under 35 U.S.C. 102(e) as being unpatentable over U.S. Patent No. 6,310610 by Beaton et al.

Regarding claim 5, Beaton et al. teach the processor, memory, and <u>touch-sensitive</u> display are arranged as a data processing platform for a device selected from the group consisting of a hand-held computer, a telephone, a mobile data terminal, a set top box, an embedded processor, a notebook computer, a computer workstation, a printer, a

Art Unit: 2629

copier, a facsimile machine, an in-car system, a domestic appliance, an audio player, a microwave oven, a washing machine, and a refrigerator (the mobile telephone Fig.3a (310)).

Regarding claim 6, Beaton et al. teach a velocity detector for determining a velocity vector associated with the detected motion (column 6, lines 5-18) wherein the speed of the navigation represents a velocity vector.

Regarding claim 7, Beaton et al. teach means for applying a velocity characteristic to the detected user interface command (column 6, lines 5-18) wherein the <u>speed</u> accelerates as the user moves the finger towards the tip of the arrow represents a velocity characteristic to the detected user interface command.

Regarding claim 12, Beaton et al. teach the page flip command for causes the module engine to render the second page adjacent the first page a currently rendered portion (the previous page and the next page are adjacent to each other (see Fig.9A)).

Regarding claim 13, Beaton et al. teach the second page has a selected adjacency to the first page(the previous page and the next page are adjacent to each other (see Fig.9A)).

Regarding claim 17, Beaton et al. teach the plurality of user interface commands includes a command for altering data content of the digital representation of the document (Memory 440 stores data and program code used by feature processor 430. Memory 440 includes static RAM 442 and flash ROM 444. Static RAM 442 is a volatile memory that stores data and other information used by feature processor 430. Flash ROM 444, on the other hand, is a non-volatile memory that stores the program code

Art Unit: 2629

executed by feature processor 430 (column 4, lines 9-15)) wherein it is inherently for the digital representation of the document is there is a change in the program code. A program code or instruction can always be altered.

Regarding claim 22, Beaton et al. teach the plurality of commands includes a command for controlling a transparency characteristic of a document presented on the touch-sensitive display (An activated navigation tool is preferably <u>transparent</u> to avoid hindering the display of content information in the viewing area as shown in FIG. 8.

Alternatively, the navigation star may change colors or other features of its appearance to indicate its active status. A solid line image, for example, may be used in greyscale displays that do not support <u>transparency</u> (column 5, lines 3-32)).

Regarding claim 23, Beaton et al. teach the command for controlling a transparency characteristic of the image adjusts the visibility of the document relative to a displayed image corresponding to a different document at least partially underlying the document (An activated navigation tool is preferably <u>transparent</u> to avoid hindering the display of content information in the viewing area as shown in FIG. 8. Alternatively, the navigation star may change colors or other features of its appearance to indicate its active status. A solid line image, for example, may be used in greyscale displays that do not support <u>transparency</u> (column 5, lines 3-32)).

Regarding claim 33, Beaton et al. teach a processor Fig.4 (430), memory Fig.4 (440), and a touch-sensitive display Fig.4 (474),

system code stored within the memory and adapted to be executed by the processor to provide a digital representation of a document including data content and a

page structure representative of a page layout of the document (column 4, lines 9-15),

an engine for rendering an image of a portion of the page layout of the digital representation on the touch-sensitive display, wherein the portion comprises a first page of the document (column 5, lines 42-50),

a display monitor in communication with the touch-sensitive display screen for detecting motion of a pointer across the touch-sensitive display Fig.4 (470)

an interface process in communication with the display monitor for processing the motion detected by the display monitor to detect one of a plurality of user interface commands, wherein the plurality of user interface commands includes a page flip command Fig.4 (420),

wherein, in response to the user interface command detected by the interface process being the page flip command, the engine renders a second page of the document on the touch-sensitive display. (column 5, lines 34-41) and (column 5, line 58 to column 6, line 4).

Regarding claim 34, Beaton et al. teach the interface process detects the page flip command in response to the display monitor detecting a brushing motion across the document rendered on the touch-sensitive display by the engine (column 5, lines 34-41) wherein the brushing motion represents the user touching the different arrows to navigate different pages.

Regarding claim 36, Beaton et al. teach the pointer comprises a stylus (touch point distribution (Fig.12)).

## Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 18 and 37-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over unpatentable over U.S. Patent No. 6,310610 by Beaton et al. in view of U.S. patent No. 6,411,274 ("Watanabe et al.").

Regarding claim 18, Beaton et al. teach all the claimed limitations with the exception of providing the plurality of user interface commands includes a command for changing a scale of the document on the touch-sensitive display.

However, Watanabe et al. teach a map display region 136, a map window title bar 138, a scale display 139, a latitude/longitude display 140, a (zoom in) button 141, a (zoom out) button 142, a scale bar 143, a scale bar knob (also referred to as "slider") 144, a maximizing button 145, a minimizing button 146 and an X button (close button) 147 etc. are displayed within this image 130. A separate window 130b is displayed within a window 130a of the image 130 (see Fig.3).

Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to the zoom in as taught by Watanabe et al. in the system disclosed by Beaton et al. because this would provide the user of the system of Beaton more control over the document.

Art Unit: 2629

Regarding claim 37, Beaton et al. teach a processor Fig.4 (430), memory Fig.4 (440), and a touch-sensitive display Fig.4 (474),

system code stored within the memory and adapted to be executed by the processor to provide a digital representation of a document including data content and a page structure representative of a page layout of the document (column 4, lines 9-15),

an engine for rendering an image of at least a portion of the page layout of the digital representation on the touch-sensitive display (column 5, lines 42-50),

a display monitor in communication with the touch-sensitive display screen for detecting motion of a pointer across the touch-sensitive display Fig.4 (470)

an interface process in communication with the display monitor for processing the motion detected by the display monitor to detect one of a plurality of user interface commands command Fig.4 (420). Accordingly, the prior art teaches all the claimed limitations with the exception of providing the command detected by the interface process being the zoom command, the engine renders a zoomed version of the document.

However, Watanabe et al. teach a map display region 136, a map window title bar 138, a <u>scale</u> display 139, a latitude/longitude display 140, a (<u>zoom</u> in) button 141, a (<u>zoom</u> out) button 142, a <u>scale</u> bar 143, a <u>scale</u> bar knob (also referred to as "slider") 144, a maximizing button 145, a minimizing button 146 and an X button (close button) 147 etc. are displayed within this image 130. A separate window 130b is displayed within a window 130a of the image 130 (see Fig.3).

Art Unit: 2629

Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to the zoom in as taught by Watanabe et al. in the system disclosed by Beaton et al. because this would provide the user of the system of Beaton more control over the document.

Regarding claim 38, Watanabe et al. teach an interface process detects the zoom command in response to the display monitor detecting a clicking over the image rendered on the touch-sensitive display followed by a upward or downward movement of the pointer across the touch-sensitive display (if the user preferably carries out an operation while looking at the side end of the display screen so that the displayed portion of the digital map is continuously reduced when shifting the shifting operation part of the scale setting part in an upward direction of the display screen, and on the contrary, the displayed portion of the digital map is continuously enlarged when shifting the shifting operation part of the scale setting part in a downward direction of the display screen, there will be no mistakes in the zooming operations because the displayed portion of the digital map will be enlarged and reduced in conformity with the sense of up and down of the user (column 2, lines 7-18) and (The menu bar 132 is positioned below the title bar 131 and is lined up with function names, and when clicking is performed with the pointer 5 being positioned at this menu bar 132, a more detailed display is given. A window is a displayed portion surrounded by a window-like frame opened on the computer screen. The term "clicking" means an operation of quickly pressing and releasing the mouse button (column 5, lines 13-21).

Regarding claim 39, Watanabe et al. teach the clicking comprises a double-

clicking (a mouse Fig.1 (6) that uses double-clicking for selecting icons on the screen **(4)**.

Regarding claim 40, Beaton et al. teach the processor, memory, and touchsensitive display are arranged as a data processing platform for a device selected from the group consisting of a hand-held computer, a telephone, a mobile data terminal, a set top box, an embedded processor, a notebook computer, a computer workstation, a printer, a copier, a facsimile machine, an in-car system, a domestic appliance, an audio player, a microwave oven, a washing machine, and a refrigerator (a telephone module Fig. 3A (310)).

Regarding claim 41, Beaton et al. teach a velocity detector for determining a velocity vector associated with the detected motion (column 6, lines 5-18) wherein the speed of the navigation represents a velocity vector.

Regarding claim 42. Beaton et al. teach means for applying a velocity characteristic to the detected user interface command (column 6, lines 5-18) wherein the speed accelerates as the user moves the finger towards the tip of the arrow represents a velocity characteristic to the detected user interface command.

Regarding claim 43, Watanabe et al. teach the zoom command to provide an inertial zoom (a map display region 136, a map window title bar 138, a scale display 139, a latitude/longitude display 140, a (zoom in) button 141, a (zoom out) button 142. a scale bar 143, a scale bar knob (also referred to as "slider") 144, a maximizing button 145, a minimizing button 146 and an X button (close button) 147 etc. are displayed

within this image 130. A separate window 130b is displayed within a window 130a of the image 130 (see Fig.3).

Regarding claim 44, Beaton et al. teach the plurality of user interface commands includes a page flip command for flipping a page of a document (see Figs. 9A-9C).

Regarding claim 45, Beaton et al. teach the plurality of user interface commands includes a command for altering data content of the digital representation of the document (Memory 440 stores data and program code used by feature processor 430. Memory 440 includes static RAM 442 and flash ROM 444. Static RAM 442 is a volatile memory that stores data and other information used by feature processor 430. Flash ROM 444, on the other hand, is a non-volatile memory that stores the program code executed by feature processor 430 (column 4, lines 9-15)) wherein it is inherently for the digital representation of the document is there is a change in the program code. A program code or instruction can always be altered.

Regarding claim 46, Beaton et al. teach the plurality of commands includes a command for controlling a transparency characteristic of a document presented on the touch-sensitive display (An activated navigation tool is preferably transparent to avoid hindering the display of content information in the viewing area as shown in FIG. 8. Alternatively, the navigation star may change colors or other features of its appearance to indicate its active status. A solid line image, for example, may be used in greyscale displays that do not support transparency (column 5, lines 3-32)).

Regarding claim 47, Beaton et al. teach the plurality of commands includes a command for controlling a transparency characteristic of a document presented on the touch-sensitive display (An activated navigation tool is preferably <u>transparent</u> to avoid hindering the display of content information in the viewing area as shown in FIG. 8. Alternatively, the navigation star may change colors or other features of its appearance to indicate its active status. A solid line image, for example, may be used in greyscale displays that do not support <u>transparency</u> (column 5, lines 3-32)).

Regarding claim 48, Beaton et al. teach the pointer comprises a stylus (touch point distribution (Fig.12)).

Regarding claim 49, Watanabe et al. teach the zoom command is communicated to the engine as a view control input (a map display region 136, a map window title bar 138, a scale display 139, a latitude/longitude display 140, a (zoom in) button 141, a (zoom out) button 142, a scale bar 143, a scale bar knob (also referred to as "slider") 144, a maximizing button 145, a minimizing button 146 and an X button (close button) 147 etc. are displayed within this image 130. A separate window 130b is displayed within a window 130a of the image 130 (see Fig.3).

### Allowable Subject Matter

- 5. Claim 35 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 6. Claims 50-53 are allowed.
- 7. The following is an examiner's statement of reasons for allowance: the claimed invention is directed to a computer device.

Art Unit: 2629

Dependent claim 35 identifies a uniquely distinct feature "the interface process detects the page flip command in response to the display monitor detecting a brushing motion across a comer of the document rendered on the touch-sensitive display by the

engine".

Independent claim 50 identifies a uniquely distinct feature "in response to the command detected by the interface process being the pan command, the engine renders a series of pages of the document on the display at a rate based on the determined velocity vector and a page inertia".

Independent claim 53 identifies a uniquely distinct feature "in response to the command detected by the interface process being the curl command, the engine renders the first page such that a comer of the page is displayed as being curled downward and renders a portion of second page of the document adjacent the curled page".

### Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean Lesperance whose telephone number is (571) 272-7692. The examiner can normally be reached on from Monday to Friday between 10:OOAM and 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's Supervisor, Richard Hjerpe, can be reached on (571) 272-7691.

Any response to this action should be mailed to:

Art Unit: 2629

Commissioner of Patents and Trademarks

Washington, D.C. 20231

#### or faxed to:

(571) 273-8300 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the technology Center 2600 Customer Service Office Whose telephone number is (703) 306-0377.

Jean Lesperance

Art Unit 2629

Date 4/28/2007